

Section VII. Handling and Storage		Sergene	Page 3 of 4
Handling	<b>General:</b> - Keep containers closed when not in use. Loosen closure cautiously before opening. - Use spark proof tools and explosion proof equipment. - Avoid breathing vapor. - Avoid contact with eyes, skin and clothing.		
Storage	<b>Storage Temperature:</b> Ambient - (Preferably 77°F (25°C)) <b>Storage Pressure:</b> Atmospheric <b>General:</b> - Store in cool, well ventilated place away from heat, sparks and flame. - Ground and bond containers when transferring materials. - Use only DOT approved containers. - Empty containers may retain hazardous properties. - Use spark proof tools and explosion proof equipment.		
Precautions	<b>Conditions to Avoid:</b> Heat, Sparks, Flame		

Section VIII. Exposure Controls/Personal Protection	
Engineering Controls:	This product should be confined within closed equipment, in which case, general (mechanical) room ventilation should be satisfactory. Special, local ventilation is needed at points where vapors are expected to escape to the workplace air.
Personal Protection:	
Eye Protection:	Chemical Safety Glasses
Gloves:	Rubber or vinyl gloves.
Respirator:	Supplied air respirator (self-contained or air-line) in high vapor concentrations.
Other:	A safety shower and eyewash should be available.

Section IX. Physical Data	
Physical State and Appearance	Clear Liquid
Solubility in Water	Insoluble Resin in Soluble Carrier
Odor	Alcohol
Melting Point	Not Applicable
Boiling Point	171°F (77°C)
Specific Gravity	0.87
Vapor Density	(Air = 1) 1.6
Vapor Pressure	48.4 mm Hg
Evaporation Rate	(Bu Ac = 1) 3.6